EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1111	((Gustavsson near2 Carl) or (Loof near2 Gustaf) or (Andersson near2 Stefan) or (Dahl near2 Stefan)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 13:55
S 2	3	((Gustavsson near2 Carl) or (Loof near2 Gustaf) or (Andersson near2 Stefan) or (Dahl near2 Stefan)).in. (authenticat\$5 communicat \$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 13:56
S 3	165	380/247.ccls. (@ad< "20020308") (authenticat\$6 messag\$4 communicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 13:59
S7	3	("380"/\$.ccls. or "713"/\$.ccls.) (@ad<"20020308") (authenticat\$6 messag\$4 communicat\$4) ((synchroniz\$4 near protocol) or (syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:01
S8	4	("380"/\$.ccls. or "713"/\$. ccls. or "726"/\$.ccls.) (@ad<"20020308") (authenticat\$6 with messag \$4 with (synchroniz\$4 near protocol) or (syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:04
S10	3	(@ad<"20020308") (authenticat\$6 with messag \$4 with (synchroniz\$4 near protocol or syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:05
S11	18	(@ad<"20020308") (authenticat\$6 with messag \$4) ((synchroniz\$4 near protocol or syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:07

S12	23	(@ad<"20020308") (authenticat\$6 with messag \$4) (synchroniz\$4 or syncML) (GSM UMTS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:12
S13	18	S12 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 14:12
S14	62	(authenticat\$6 near3 (protocol or method or process\$4))(syncML or (synchroni\$7 near protocol)) (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/23 16:00
S15	2872	(GSM UMTS) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:36
S16	13	(WPKI) (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:36
S17	40	(secureID or safeword) (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:37
S18	4	(secureID or safeword)(GSM) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:37
S19	341	(GSM UMTS SIM) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:39
S20	29	(GSM UMTS SIM USIM) (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:39

S23	10	(WPKI) (wireless authenticat \$5)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:42
S24	1	(WPKI) (wireless authenticat \$5).ab. (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:43
S25	5	(GSM UMTS SIM USIM) (authenticat\$5).ab. (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 07:53
S26	297	(authentication near capabilit \$4)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:00
S27	235	(authentication adj capabilit \$4)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:02
\$28	24	(authentication near protocol) (authentication adj capabilit \$4)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:02
S29	1	("713"/\$.ccls. or "726"/\$. ccls.) (@ad<"20020308") (authenticat\$6 with messag \$4 with (synchroniz\$4 near protocol) or (syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:07
S30	3	("726"/\$.ccls.) (@ad<"20020308") (authenticat\$6 with messag \$4)((synchroniz\$4 near protocol) or (syncML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 08:07
S31	1	(GSM UMTS SIM USIM)(key MAC HMAC) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:08

S 33	225	(key near5 encrypt\$4 with (public adj key))((generat\$4 or creat\$4 or comput\$4) near3 MAC) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:25
S35	51	(key near5 encrypt\$4 with (public adj key))((generat\$4 or comput\$4) near3 MAC)(HMAC) (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:26
S39	29	(key near5 encrypt\$4 with (public adj key))((generat\$4 or comput\$4) near3 MAC)(HMAC) (authenticat\$4 wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:27
S40	18	(key near5 encrypt\$4 with using with (public adj key)) ((generat\$4 or creat\$4 or comput\$4) near3 MAC) (HMAC)(authenticat\$4 wireless)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 09:45
S41	2	(key near5 encrypt\$4 with (public adj key))((generat\$4 or comput\$4) near3 MAC)(HMAC)(\$2SIM) (authenticat\$4 wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 11:08
S44	12	((session or cipher or encrypt \$4 or secret) near key near5 encrypt\$4 with using with (public adj key))((generat\$4 or creat\$4 or comput\$4) near3 MAC)(HMAC) (authenticat\$4 wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 11:15
S45	1	(((cipher or encrypt\$4) adj key) or CK)((integrity adj key) or IK)((generat\$4 or creat\$4 or comput\$4) near3 MAC)(\$2SIM)(HMAC) (authenticat\$4 wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 11:33
S46	254	(secure\$2ID or safe\$2word or (secure adj id) or (safe adj word)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:15

S47	1061	((IK or ((itegrity or secret or session or secur\$4) adj key)) near3 encrypt\$4 with (public adj key))(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:16
S48	13	(WPKI)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:18
S49	10	(WPKI)(authenticat\$4) (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:21
S50	111	(WPKI or (WAP adj (PKI or (Public adj Key adj Infrastructure))))(authenticat \$4 server (client or device)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:24
S51	671	((IK or ((itegrity or secret) adj key)) near3 encrypt\$4 with (public adj key)) (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:26
S52	4	((IK or ((itegrity or secret) adj key)) near3 encrypt\$4 with (public adj key)) (authentication with message with wireless) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:26
S53	1	(secure\$2ID or safe\$2word or (secure adj id) or (safe adj word))(authentication with message with wireless) (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:42
S 54	1	(secure\$2ID or (secure adj id)) (safe\$2word or (safe adj word))(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 13:54
S55	100	((IK or ((itegrity or secret) adj key)) near3 encrypt\$4 with (public adj key) with (apparatus or device or phone or PDA)) (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 14:16

S56	3	((IK or ((itegrity or secret) adj key)) near3 encrypt\$4 with (public adj key) with (apparatus or device or phone or PDA)) (authentication with wireless) (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 14:17
S57	15	((IK or ((itegrity or secret) adj key)) near3 encrypt\$4 with (public adj key) with (apparatus or device or phone or PDA)) (authentication with message)(@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/25 14:18
S58	23	(authentication near5 (mechanism method protocol) near5 indicator) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 09:21
S59	15	(authentication near5 (mechanism method protocol) near5 indicator) AND (messag\$4 with authenticat\$4) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 09:24
S60	130	(authentication near5 (mechanism method protocol) with message).ab. AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/25 10:22
S61	36	(authenticat\$4 near5 (mechanism method protocol) with message).ab. AND (authenticat\$4 near5 (mechanism method protocol) with (indicat\$4 tag \$4 determin\$4 verif\$6)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/25 10:23
S62	68	((determin\$6 "which" "what") near7 authenticat\$4 near5 (mechanism method protocol algorithm) with message) AND (authenticat \$4 near5 (mechanism method protocol algorithm) with (indicat\$4 tag\$4 determin\$4 verif\$6)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/25 10:30

\$64	2	((determin\$6) near7 authenticat\$4 near5 (mechanism method protocol algorithm) with message) AND (authenticat\$4 near5 (mechanism method protocol algorithm) with (indicat\$4 tag \$4 determin\$4 verif\$6) same (MD5 SHA1 SHA?1)) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/25 10:35
S66	6	((determin\$6) near7 authenticat\$4 near5 (mechanism method protocol algorithm) with message) AND (authenticat\$4 near6 tag) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/25 10:36
S70	10	((determin\$6) near7 authenticat\$4 near5 (mechanism method protocol algorithm) with message) AND (auth\$10 near5 MD5) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/25 10:41
S71	70	(authenticat\$4 with (mechanism method protocol algorithm) with message same (MD5 MD?5) with (SHA1 SHA?1)) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:16
S72	19	(authenticat\$4 with (mechanism method protocol algorithm) with message with (MD5 MD?5) with (SHA1 SHA?1)) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:16
S73	25	((authenticat\$4 verif\$7) with (mechanism method protocol algorithm type) with message with(MD5 MD?5) with (SHA1 SHA?1)) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:19
S74	6	S73 not S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:19
S75	2	(syncML adj2 device) AND (authenticat\$4 with parameter) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/20 11:10

S76	2	(syncML) AND (authenticat \$4 with parameter) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/20 11:11
S77	2	(syncML) AND (authenticat \$4 with (parameter \$3fresh \$4 new chalenge nonce renew\$4)) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/20 11:12
S78	6	(syncML) AND (authenticat \$4 with (parameter \$3fresh \$4 new chalenge nonce renew\$4 session updat\$4)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/20 11:12
S79	2	(((WPKI (wireless near3 public near3 key near2 identity)) with (WIM (wireless near3 identity near2 module))) with authenticat\$4) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/20 11:28
S80	8	(anti adj replay near4 protect \$4) AND (authenticat\$4) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/20 12:59
S81	35	((select\$4 indicat\$4 negotiat \$4) near6 (authentication near5 (mechanism method protocol) with message)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:36
S82	36	((select\$4 indicat\$4 negotiat \$4 list\$4) near6 (authentication near5 (mechanism method protocol) with message)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:37
S83	59	((select\$4 indicat\$4 negotiat \$4 list\$4 available support \$3) near6 (authenticat\$4 near5 (mechanism method protocol) with message)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 17:45

S84	3	(((syncml) (synchroniz\$4 near4 protocol)) with authenticat\$4) AND ((list\$4 select\$4 support\$4 available capab\$8) with authenticat\$4 with message) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 09:04
S85	5	(((syncml) (synchroniz\$4 near4 protocol)) with authenticat\$4 same message)AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 09:05
S86	4	((support\$4 compatib\$5 availa\$6) near6 authenticat \$4 near6 (protocol method mechanism with message)) AND ((syncml) (synchroniz\$4 near4 protocol)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 09:09
S87	32	((support\$4 compatib\$5 availa\$6) near6 authenticat \$4 near6 (protocol method mechanism) with message) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 09:10
S88	33	((support\$4 compatib\$5 availa\$6) near6 authenticat \$4 near6 (protocol method mechanism) with (message xml syncml)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 09:10
S89	1	(syncML (synchro\$9 near3 (mechanism method protocol))) AND (authenticat \$4 near6 (protocol method mechanism)) AND (message with (XML HTML tag)) AND (auth\$7 near4 (SHA1 SHA?1 MD5 MD?5 basic)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 09:59
S90	8	(syncML (synchro\$9 near3 (mechanism method protocol))) AND (authenticat \$4 near6 (protocol method mechanism)) AND (auth\$7 adj3 (SHA1 SHA?1 MD5 MD? 5 basic)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 10:01

S91	2	"20100011070".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 10:05
S95	16	(syncML (synchro\$9 near3 (mechanism method protocol))) AND ((auth\$9 adj3 (SHA1 SHA?1 MD5 MD? 5 basic))) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:28
S96	59	(syncML (synchro\$9 near3 (mechanism method protocol))) AND (authenticat \$4 near6 (protocol method mechanism)) AND (auth\$9 with (SHA1 SHA?1 MD5 MD? 5 basic)) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:31
S97	9	(syncML (synchro\$9 near3 (mechanism method protocol))) AND (authenticat \$4 near6 (protocol method mechanism) with (messag\$4 initiat\$4 negotiat\$4 hand \$2shak\$4)) AND (auth\$9 with (SHA1 SHA?1 MD5 MD? 5 basic)) AND (@ad<"20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:33
S98	3	((list\$4 select\$4 choos\$4) near6 (authenticat\$4 near6 (protocol method mechanism)) with (messag \$4 initiat\$4 negotiat\$4 hand \$2shak\$4)) AND (auth\$9 with (SHA1 SHA?1 MD5 MD? 5 basic)) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:40
S100	0	((generat\$4 creat\$4 comput \$4) near5 (integrity near3 key) with (encrypt\$4 near6 (public near2 key))) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:14
S101	13	((generat\$4 creat\$4 comput \$4) near5 (integrity near3 key) same (encrypt\$4 near6 (public near2 key))) AND (@ad< "20020308")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:14

EAST Search History (Interference)

< This search history is empty>

3/5/2010 10:58:39 PM

C:\ Documents and Settings\ Ipham7\ My Documents\ EAST\ Workspaces\ 10\ 10-506-943.wsp